


THE  
**BRICK**  
STORE

**TL**

Traditional Linear




VADODARA

Traditional  
Linear

# TL60

## LINEAR RED



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 441.5 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL61

## LINEAR RED OLDE



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.46 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL62

## LINEAR YORK BLEND



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.46 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*



*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL63

LINEAR WARSAW PINK



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL64

## LINEAR FARMHOUSE BLEND



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL65

LINEAR VINCENT YELLOW MULTI



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL66

## LINEAR CAMBRIDGE BUFF



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*




Traditional  
Linear

THE  
**BRICK**  
STORE



# TL67

## LINEAR VINCENT YELLOW



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

JJB


Traditional  
Linear

THE  
**BRICK**  
STORE



# TL68

LINEAR BRAMPTON BROWN



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL69

LINEAR PHOENIX GREY



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL70

## LINEAR GRAPHITE



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL71

## LINEAR LHASA WHITE



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL72

## LINEAR MANCHESTER RED



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*


Traditional  
Linear

THE  
**BRICK**  
STORE



# TL73

LINEAR ASHDOWN MULTI



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL74

## WEATHERED VINCENT LINEA



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*


*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*



Traditional  
Linear

# TL75

## IVORY LINEAR



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*


*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Traditional  
Linear

# TL76

## BURNT WOOD LINEAR



L 327 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft. (10mm joint):**

4" Wall - 4.59 pcs.  
9" Wall - 9.38 pcs.  
1 m<sup>2</sup> - 49.56 pcs.  
1 m<sup>3</sup> - 441.57 pcs.

*\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

*\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

*\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*


Follow thebrickstoreindia on



# THE BRICK STORE

Ahmedabad | Bengaluru | Godhra | Hyderabad | Ludhiana | Pune | Rajkot | Vadodara

Upcoming Stores: Indore, Nashik, Surat & Delhi



## The Brick Store - Vadodara

Jay Jalaram Brick Works  
3rd Floor, MSA House  
GIPCL Circle, Sama  
Vadodara - 390008  
Gujarat, India  
Cell: +91 9328381220  
+91 7069006101  
Email: brc@jjb.co.in

## Brick Factory:

Jay Jalaram Brick Works  
Near Main RTO Office  
Godhra - 389001  
Gujarat, India  
Cell: +91 7570975709  
+91 7069006101  
+91 8799305626  
Email: sales@jjb.co.in

[www.thebrickstore.in](http://www.thebrickstore.in)

quality is our way of life

