

THE
BRICK
STORE



CR

Cladding Rock





LR

LR Sood & Co

LUDHIANA

CRE1



L 215 H 65 T 20 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 6 pcs.
1 m2 - 60 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CRE4

GENT BROWN ROCK



L 215 H 65 T 20 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 6 pcs.
1 m2 - 60 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR1

RED ROCK



L 215 H 65 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5.5 pcs.
1 m2 - 60 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR2

ROYAL DUTCH ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR3

GRAPHITE ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR6

VINCENT YELLOW ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR12

WARSAW ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR14

VINCENT RUSTIC JUTE



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR17

MIDNIGHT ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR20

CAMBRIDGE ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR22

OCHRE RED JUTE



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR23

YORK JUTE



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR26

WHARTON OLDE ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR27

GARAGE BLEND



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR29

FEDRATION ROCK



L 215 H 65 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5.5 pcs.
1 m2 - 60 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR36

CATHOLANIA ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR38

BERLIN ROCK



L 215 H 65 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5.5 pcs.
1 m2 - 60 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR38_A

ZURICH RED ROCK



L 215 H 65 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5.5 pcs.
1 m2 - 60 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR41

VALENCIA ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR42

SYDNEY GREY ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR43

AMALFI WHITE ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR54

OAKLAND DARK ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CR54_A

REVERE VINE ROCK



L 215 H 50 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 7 pcs.
1 m2 - 75 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR60

LINEAR RED ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR60_A

VERMILION ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR61

FARMHOUSE MULTI LINEAR



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR62

YORK LINEAR ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR62_A

CHARLESTON LINEAR ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR64

LINEAR FARMHOUSE ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR64_A

BARN HOUSE LINEAR ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR67

VINCENT YELLOW ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR67_A

LINEAR MUSTARD ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR68

LINEAR BRAMPTON ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR70

GRAPHITE LINEAR ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR70_A

CASTLE ROCK LINEAR



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTRLR71

LAHASA WHITE ROCK LINEAR



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR71_A

AMALFI ROCK LINEAR



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.



**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTRLR72

MANCHESTER RED ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.


**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

CTLR72_A

MANCHESTER RED ROCK



L 327 H 55 T 23 MM

Note:

Size of the current lot to be taken from our sales team before consideration into design.

***Specifications:**

Weight: 0.8 Kg
Water absorption: < 14%

Coverage per sq.ft. (10mm joint):

1 sq. ft. - 5 pcs.
1 m2 - 46 pcs.

**Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.*

***Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.*

****Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.*

Follow thebrickstoreindia on



THE
BRICK
STORE

Ahmedabad | Bengaluru | Godhra | Hyderabad | Ludhiana | Pune | Rajkot | Vadodara

Upcoming Stores: Indore, Nashik, Surat & Delhi

LR
LR Sood & Co

The Brick Store - Ludhiana

M/s Lekh Ram Sood & Co
Sahnewal-Dehlon Road
Near Khanpur Canal
Village Bhutta
Ludhiana - 141206
Punjab, India
Cell: +91 94170 31265
+91 70690 06103
Email: ldh@thebrickstore.in

Brick Factory:

Jay Jalaram Brick Works
Near Main RTO Office
Godhra - 389001
Gujarat, India
Cell: +91 75709 75709
+91 70690 06101
Email: sales@jjb.co.in

www.thebrickstore.in

quality is our way of life

